



according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL ATF XN Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Gearbox oil.

1.3. Details of the supplier of the safety data sheet

Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-201	Telefax: +49 (0) 3461 845-561
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
1.4. Emergency telephone	+49 (0) 3461 845-201 - This number	is serviced during office hours.

<u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

R phrases:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

GHS classification

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard statements

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements P273

Avoid release to the environment.

P501

EUH208

Special labelling of certain mixtures

Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.. May produce an allergic reaction.

Additional advice on labelling

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled leakage of product into the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 2 of 8

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
800-172-4	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	< 1,85 %
	N - Dangerous for the environment R51-53	
	Aquatic Chronic 2; H411	
471-920-1	Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.	< 0,90 %
	Xi - Irritant R38-43	
	Skin Sens. 1; H317	
01-0000019770-68		
266-582-5	1-(tert Dodecylthio)propan-2-ol	< 0,90 %
67124-09-8	Xi - Irritant, N - Dangerous for the environment R43-51-53	
	Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410	
482-000-4	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs.	< 0,30 %
	Xi - Irritant R38-43-52-53	
	Skin Sens. 1, Aquatic Chronic 3; H317 H412	
01-0000020142-86		
204-539-4	diphenylamine	< 0,20 %
122-39-4	T - Toxic, N - Dangerous for the environment R23/24/25-33-50-53	
612-026-00-5	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Acute 1, Aquatic	
	Chronic 1; H331 H311 H301 H373 ** H400 H410	
	C14-C18 alpha-olefin epoxid, reaction products of boric acid	< 0,20 %
Polymer	Xi - Irritant R43	
	Skin Sens. 1; H317	
248-248-0	1-(2-Hydroxyethyl)-2-(heptadecenyl)-imidazoline	< 0,20 %
27136-73-8	C - Corrosive, N - Dangerous for the environment R34-43-50-53	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H317 H400 H410	
263-177-5	ethoxylated amine	< 0,20 %
61791-46-6	C - Corrosive, N - Dangerous for the environment R22-34-43-50	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H290 H302 H314 H318 H317 H400	
	Benzene, polypropene derivates, sulfonated, calcium salts	< 0,20 %
Polymer	Xi - Irritant R43	
	Eye Irrit. 2, Skin Sens. 1; H319 H317	
		•

Full text of R and H phrases: see Section 16.

Further Information

DMSO-Extrakt < 3 %, IP 346.

Concentration of PCBs < 1mg/kg.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.



according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 3 of 8

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider.. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do not induce vomiting. Rinse mouth immediately and drink large quantities of water. Immediately get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. Carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Extinguishing materials should be selected according to the surrounding area. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not empty into drains or the aquatic environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapour, dust, and aerosols.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment. In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).



according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 4 of 8

Treat the assimilated material according to the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well ventilated zones or use proper respiratory protection. Avoid oil mist In case of open handling equipment with built-in suction must be used. Avoid contact with skin, eye and clothing.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of dampness.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

Further information on storage conditions

Recommended storage temperature: 10 - 30°C Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Further information: refer to Technical Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm ³	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	
		-	20		STEL (15 min)	

Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m³ STEL: 10 mg/m³

The product does not contain any relevant quantities of substances with legally established exposure limitation.

8.2. Exposure controls



Appropriate engineering controls

Provide for sufficient ventilation and punctiform suction at critical points.

Protective and hygiene measures

Wash hands before breaks and at the end of work. Take off immediately all contaminated clothing.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

THE ART OF OIL SINCE 1936					
	ADDINOL ATF XN Plus				
Print date: 21.10	.2014 Product code: 744016	Page 5 of 8			
Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.					
Eye/face pro	tection				
Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166					
	tion Tested protective gloves are to be worn: German Industry Norms (DIN) / Europea EN 374	an Norms (EN): DIN			
Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.					
Duration of wearing with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm					
	Protect skin by using skin protective cream.				
Skin protect					
-	Wear suitable protective clothing. Change contaminated clothing. Do not put any cleaning rags into your trouser pockets.	product-impregnated			
Respiratory protection					
If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn.					
SECTION 9: P	nysical and chemical properties				
9.1. Information	on basic physical and chemical properties				
Physical state					
Colour:	red				
Odour:	characteristic				
Test method					
Changes in t	he physical state				
-	point and boiling range: not determined				
Flash point:		DIN EN ISO 2592			
Ignition temp	erature: not determined				
Density (at 1	5 °C): 0,852 g/cm³	DIN 51757			
Water solubil	ity: virtually insoluble				

SECTION 10: Stability and reactivity

10.1. Reactivity

(at 100 °C)

Stable with proper care and handling.

10.2. Chemical stability

Viscosity / kinematic:

The product is chemically stable when handled and stored under normal conditions.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

10.5. Incompatible materials

Reacts with : Oxidizing agents, strong. Acid.

6,9 mm²/s DIN 51562



according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 6 of 8

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. Carbon black.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data available

Mixture not tested.

osure routes nenylamine	Method	Dose	Species	
nenylamine			opecies	Source
	ATE	100 mg/kg		
nal	ATE	300 mg/kg		
alative vapour	ATE	3 mg/l		
alative aerosol	ATE	0,5 mg/l		
1-(2-Hydroxyethyl)-2-(heptadecenyl)-imidazoline				
1	ATE	500 mg/kg		
oxylated amine				
	ATE	500 mg/kg		
na ala ala	al ative vapour ative aerosol Hydroxyethyl)-2-(heptadecenyl)- ylated amine	al ATE ative vapour ATE ative aerosol ATE Hydroxyethyl)-2-(heptadecenyl)-imidazoline ATE	al ATE 300 mg/kg ative vapour ATE 3 mg/l ative aerosol ATE 0,5 mg/l Hydroxyethyl)-2-(heptadecenyl)-imidazoline ATE 500 mg/kg ylated amine ATE 500 mg/kg	al ATE 300 mg/kg ative vapour ATE 3 mg/l ative aerosol ATE 0,5 mg/l Hydroxyethyl)-2-(heptadecenyl)-imidazoline ATE 500 mg/kg

Irritation and corrosivity

Irritant effect on the eye: mild irritant.

Irritant effect on the skin: Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Sensitising effects

Contains: < 0,90% Alkylacetamide. May produce an allergic reaction.

Severe effects after repeated or prolonged exposure

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

Specific effects in experiment on an animal

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

Mixture	not	tested.	

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source		
61791-46-6	ethoxylated amine							
	···· · · · · · · · · · · · · · · · · ·	ErC50 mg/l	0,01 - 0,1	96 h				

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not empty into drains or the aquatic environment.



according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 7 of 8

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Must not be disposed of with domestic refuse. Do not empty into drains or the aquatic environment.

Waste disposal number of waste from residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils Classified as hazardous waste.

Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning. Waste disposal according to official state regulations. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

Inland waterways transport (ADN)

14.1. UN number:

Marine transport (IMDG)

14.1. UN number:

Air transport (ICAO)

14.1. UN number:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Other applicable information

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture





according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus

Print date: 21.10.2014

Product code: 744016

Page 8 of 8

National regulatory information Water contaminating class (D):

2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Full text of R phrases referred to under Sections 2 and 3

i un	•	Harmful if swallowed			
	22 23/24/25				
		Toxic by inhalation, in contact with skin and if swallowed.			
	33	Danger of cumulative effects.			
	34	Causes burns.			
	38	Irritating to skin.			
	43	May cause sensitisation by skin contact.			
	50	Very toxic to aquatic organisms.			
	51	Toxic to aquatic organisms.			
	52	Harmful to aquatic organisms.			
	52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			
	53	May cause long-term adverse effects in the aquatic environment.			
Full	text of H stat	ements referred to under Sections 2 and 3			
	H290	May be corrosive to metals.			
	H301	Toxic if swallowed.			
	H302	Harmful if swallowed.			
	H311	Toxic in contact with skin.			
	H314	Causes severe skin burns and eye damage.			
	H317	May cause an allergic skin reaction.			
	H318	Causes serious eye damage.			
	H319	Causes serious eye irritation.			
	H331	Toxic if inhaled.			
	H373	May cause damage to organs through prolonged or repeated exposure.			
	H400	Very toxic to aquatic life.			
	H410	Very toxic to aquatic life with long lasting effects.			
	H411	Toxic to aquatic life with long lasting effects.			

H412 Harmful to aquatic life with long lasting effects.

Further Information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contructual relationship.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)